Technical Procedure for the Collection and Preservation of Evidence

- **1.0 Purpose** To examine items of evidence for the presence of trace evidence (e.g., hair, fibers, paint, glass) and to collect and preserve that evidence.
- 2.0 Scope This procedure applies to all hair, fiber, paint, and glass cases in the Trace Evidence Section.
- **3.0 Definitions** N/A

4.0 Equipment, Materials, and Reagents

- Stereomicroscope
- Clear fingerprint tape
- Packaging materials (plastic bags, metal tins, manila envelopes, paper bags, etc.)
- Spatula
- Kraft paper
- Forceps

5.0 Procedure

5.1 Special Considerations

5.1.1 Items packaged together shall be treated as one item, as trace materials can easily transfer from one item to another during transport.

5.2 Analytical Procedure

5.2.1 **Precautions to prevent contamination**

- **5.2.1.1** Work area and tools shall be cleaned prior to analysis.
- **5.2.1.2** The Forensic Scientist shall change the examination paper between items.
- **5.2.1.3** Only one item shall be opened at a time, unless two separate examination surfaces exist for this purpose. Separate laboratory coats and examination areas (such as evidence collection rooms) shall be used to prevent possible cross-transfer contamination.
- **5.2.1.4** The Forensic Scientist shall change gloves and clean tools between examining the evidence from the victim and the evidence from the suspect.
- **5.2.2** Spread a clean piece of paper on the examination surface.
- **5.2.3** List and generally describe each item of evidence. This can include tag information (on textile materials), damage, etc.
- **5.2.4** Examine each item of evidence visually or with the aid of an illuminated magnifier, UV light or stereomicroscope. Remove obvious and potentially relevant trace evidence that

may be adhering to the surface of the item (e.g., hairs, fibers, paint chips and glass particles) and package to prevent loss. Paint smears can be cut out of the item.

- **5.2.5** For rigid items (e.g., bumpers, doors, etc.), no further processing is required. For textile materials (e.g., clothing), the item shall be taped or scraped as determined by the type of examination requested to remove any less apparent trace particles.
 - **5.2.5.1** Scraping is the preferred method for paint and glass collection.
 - **5.2.5.2** Taping is the preferred method for hair and fiber collection.
- **5.2.6** All items of clothing shall be processed on the inside surface as well as the outside surface (this includes the pocket and cuff areas).
- **5.2.7** The scrapings/tapings shall be packaged to prevent loss and contamination.
- **5.2.8** Based on the Forensic Scientist's training and experience, known standards (fiber, paint, etc.) may be taken during the collection and preservation process.
- **5.2.9** The debris/tape resulting from the collection and preservation process shall be further examined following the appropriate technical procedure.

5.3 Methods of Evidence Preservation

5.3.1 Taping

- **5.3.1.1** The State Crime Laboratory uses clear-backed fingerprint tape for the collection of hair and fibers.
- **5.3.1.2** The tape shall be patted repeatedly and firmly over the item to cause loosely adhering trace evidence to stick to the tape.
- **5.3.1.3** Tapings shall be placed into a plastic bag and sealed to prevent contamination.

5.3.2 Scraping

- **5.3.2.1** A clean spatula shall be used to dislodge trace evidence from an item onto a collection surface such as clean paper.
- **5.3.2.2** The collected debris shall be immediately packaged in a manner to avoid sample loss and contamination.

5.4 **Result Statements**

- **5.4.1** In most cases, this procedure will be followed by additional analyses, so there will not be the need to issue a report based solely on the above procedures.
- 5.4.2 If a report is to be issued without further examination, then the wording of the results

shall accurately describe the evidence at hand.

- **5.4.2.1** Example: Item A was taped/scraped to preserve any _____ evidence. No further analysis was conducted at this time. The item may be resubmitted for analysis along with the appropriate _____ standards should a _____ be located.
- 5.5 Sampling and Sample Selection N/A
- 5.6 Standards and Controls N/A
- 5.7 Calibrations N/A
- **5.8 Maintenance** N/A
- **5.9** Calculations N/A
- **5.10** Uncertainty of Measurement N/A.

6.0 Limitations – N/A

7.0 Safety - Clothing and other items may have blood or other body fluids present. Use protective equipment when dealing with items that may contain biohazard material.

8.0 References

8.1 State Crime Laboratory Evidence Guide.

8.2 ASTM and SWG Guidelines

ASTM Standard E1610, 2002, "Standard Guide for Forensic Paint Analysis and Comparison." ASTM International. West Conshohocken, PA, 2002.

SWGMAT. "Collection, Handling, and Identification of Glass." *Forensic Science Communications* 7.1 (2005).

SWGMAT. "Forensic Human Hair Examination Guidelines." *Forensic Science Communications* 7.2 (2005).

SWGMAT. "Trace Evidence Recovery Guidelines." *Forensic Science Communications* 1.3 (1999).

8.3 Books

DeForest P.R., Gaensslen R.E., Lee H.C. Forensic Science: An Introduction to Criminalistics. NewYork: McGraw-Hill, 1983.

Gaudette, B.D. *The Forensic Aspects of Hair Examination*. RCMP, Central Forensic Laboratory: 1988.

Saferstein, R., ed. *Forensic Science Handbook*. Volume I. Englewood Cliffs, NJ: Prentice Hall, 1983.

8.4 Journal Articles

Deedrick, D.W. "Hairs, Fibers, Crime, and Evidence." *Forensic Science Communications* 2.3 (2000).

Deedrick, D.W. and S.L. Koch. "Microscopy of Hair Part I: A Practical Guide and Manual for Human Hairs." *Forensic Science Communications* 6.1 (2004).

9.0 Records - N/A

10.0 Attachments – N/A

Revision History		
Effective Date	Version Number	Reason
09/17/2012	1	Original ISO Document
10/18/2013	2	Added issuing authority to header